


C FD L - A1 - A15 - R1.1
 (大类别) (系列) (1 材质) (2 公称直径) (3 皮带半径)
 订货引导 (类别) (1 材质) (2 公称直径) (3 皮带半径)
 请参考系列代码来选择型式和参数进行订购。

| 代码 | 形状 | 材质 ^① | 表面处理 | 附件 |
|---------|------|-----------------|--------|-------------|
| CFDL-A1 | 双U槽型 | A5052 | 本色阳极氧化 | 挡圈 (SUS304) |
| CFDL-S1 | | SUS304 | - | |




④ 轴承采用压入式。



其余 $\sqrt{6.3}$

④ 轴承精度: GB/T 307.1 0 级
相当于: JIS B 1514 0 级



视角标准: 第一视角

| 型号 | | R ^③ | S | d | P | dh | D | D ₁ | T | B | C | 适用轴承 | 适用圆皮带直径 | |
|--------------------|----------------|----------------|----|----|------|-------|-------|----------------|----|---|--------|--------|---------|--|
| 代码 | A ^② | | | | | | | | | | | | | |
| CFDL-A1 CFDL-S1 | 15 | | | 3 | 10 | 8.1 | 16.9 | 13 | 9 | 4 | | 623ZZ | | |
| | 20 | 1.1 | 4 | 4 | 13 | 11.1 | 21.9 | 18 | 10 | 5 | 2.5 | 624ZZ | 2 | |
| | 30 | | | 6 | 19 | 16.1 | 31.9 | 28 | | 6 | | 626ZZ | | |
| | 20 | | | 4 | 13 | 11.1 | 21.9 | 17 | 11 | 5 | 3 | 624ZZ | | |
| | 30 | 1.6 | 5 | 6 | 19 | 16.1 | 31.9 | 27 | | 6 | 2.5 | 626ZZ | 3 | |
| | 40 | | | | | | 41.9 | 37 | | | | | | |
| | 45 | | | 10 | 26 | 23.1 | 46.9 | 42 | 14 | 8 | 3 | 6000ZZ | | |
| | 23 | | | | 15 | 13.1 | 24.9 | 19 | | 5 | 4 | 696ZZ | | |
| | 28 | | | 6 | 19 | 16.1 | 29.9 | 24 | 13 | 6 | 3.5 | 626ZZ | | |
| | 30 | 2.1 | 6 | | | | 31.9 | 26 | | | | | | |
| | 40 | | | | | | 41.9 | 36 | | | | | 4 | |
| | 45 | | | 10 | 26 | 23.1 | 46.9 | 41 | 14 | 8 | 3 | 6000ZZ | | |
| | 48 | | | | | | 49.9 | 44 | | | | | | |
| | 28 | | | 8 | 19 | 16.1 | 29.9 | 23 | 15 | 6 | 4.5 | 698ZZ | | |
| | 40 | 2.6 | 7 | 10 | 26 | 23.1 | 41.9 | 35 | 16 | 8 | 4 | 6000ZZ | 5 | |
| | 50 | | | | 12 | 32 | 27.1 | 51.9 | 45 | | 10 | 3 | 6201ZZ | |
| | 28 | | | 6 | 19 | 16.1 | 29.9 | 22 | 17 | 6 | 5.5 | 626ZZ | | |
| | 38 | | | 10 | 26 | 23.1 | 39.9 | 32 | | | | | | |
| | 48 | | | | | | 49.9 | 42 | | 8 | 5 | 6000ZZ | | |
| | 50 | 3.1 | 8 | | | | 51.9 | 44 | 18 | | | | 6 | |
| | 60 | | | | | | 61.9 | 54 | | | | | | |
| | 75 | | | 12 | 32 | 27.1 | 76.9 | 69 | | | 4 | | | |
| | 100 | | | | | | 101.9 | 94 | | | 10 | | 6201ZZ | |
| | 50 | | | | | | 51.9 | 42 | | | | | | |
| 60 | 4.1 | 10 | | 12 | 32 | 27.1 | 61.9 | 52 | 21 | | 5.5 | | 8 | |
| 100 | | | | | | 101.9 | 92 | | | | 5 | | | |
| 60 | | | | | | 61.9 | 50 | | | | | | | |
| 100 | 5.1 | 12 | 15 | 35 | 30.1 | 101.9 | 90 | 25 | 11 | 7 | 6202ZZ | 10 | | |
| 140 | | | | | | 141.9 | 130 | | | | | | | |