
十字盘头钻尾螺钉/梅花带柱平圆头机螺钉





○ 内六角平头带垫螺钉

代码	名称	销售方式	材质 🕕	表面处理	标准号	
EDLM-S1	十字盘头钻尾螺钉	盒装	SUS304		DIN7504(M)	
FDI M-S14	子鱼类切尾感切	 	SUS410	_	DIN7504(M)	






型号		L 🔞	PCS/盒	a	D	К
代码	ST 2	1	PC3/盖	а	D	I K
		13	2800			
		16	2500			
COLI W	3.9	19	2000	1.3	7.3	2.7
TCollin		25	1500		1/2	
		32	1100			
		13	1500			
		16	2200			
		19	1800			
(SUS304)	4.2	25	1400	1.4	8	3.1
EDLM-S1	4.2	32	1000			3.1
		38	800			
(SUS410)		45	600			
EDLM-S14		50	550			
		13	1900			
		16	1500			
		19	1300			
	4.8	25	1100	1.6	9.5	3.7
	7.0	32	800	1.0	7.5	5.7
		38	600			
		45	500			
		50	400			

型号		L 🔞	PCS/盒		D	К	
代码	ST 🕗	1 6	PC3/温	a	D		
CFA.		16	1200		The	. A.	
1.72		19	1000		2011		
		25	800		100		
	5.5	32	600		11	4	
	3.3	35	350			7	
(SUS304)		38	500				
		45	400				
EDLM-S1		50	350	1.8			
(SUS410)		16	800	1.0			
, ,		19	750				
EDLM-S14		25	600				
	6.3	32	450		12	4.6	
	0.5	38	400		12	4.0	
		50	250				
		65	200				
		75	150				

〇内六角沉头螺钉

代码	名称	类型	材质	表面处理	标准号
FDIN	梅龙带柱亚圆头和螺钉	全牙	5115304	- (0)	GB/T 2672 - 2004





视角标准: 第一视角

型号 代码	M 4	OW						L 🔞)		18	FA. CO	ly.		P螺距	К	D	t(min)	梅花槽号
	4	5	6	8	10	12	16	20	25	1500	M.Jr				0.7	3.1	8	1.27	T20
EDLN	5		6	8	10	12	16	20	25	30	35	40			0.8	3.7	9.5	1.52	T25
	6			8	10	12	16	20	25	30	35	40	45	50	1.0	4.6	12	2.02	T30